COMPREHENSIVE SERVICES

We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

SELL YOUR SURPLUS

We buy new, used, decommissioned, and surplus parts from every NI series. We work out the best solution to suit your individual needs.

Sell For Cash Get Credit Receive a Trade-In Deal

OBSOLETE NI HARDWARE IN STOCK & READY TO SHIP

We stock New, New Surplus, Refurbished, and Reconditioned NI Hardware.



Bridging the gap between the manufacturer and your legacy test system.

1-800-915-6216

www.apexwaves.com

sales@apexwaves.com

All trademarks, brands, and brand names are the property of their respective owners.

Request a Quote



NI-5793

Contact: 866-275-6964

support@ni.com



Board Assembly Part Number(s)

Part Number	Description
152888A-01L	Module Assembly, NI 5791
152889A-01L	Module Assembly, NI 5792
152890A-01L	Module Assembly, NI 5793

Han Annadible

Manufacturer: National Instruments

Volatile Memory

	•	User Accessible/	Battery		
Type ¹	Size	System Accessible ²	Backup?	Purpose	Method of Clearing ³

NONE

Non-Volatile Memory

Type Type	Size	User Accessible/ System Accessible	Battery Backup?	Purpose	Method of Clearing
EEPROM	2 Kb	Yes/Yes	No	Product Identification	Via API
FLASH	8Mb	Yes/Yes	No	Correction Data	Via API
Media Storaș	ge				
Type	Size	User Accessible/ System Accessible	Battery Backup?	Purpose	Method of Clearing

NONE

Clearing Notes:

EEPROM: User accessibility of the product identification EEPROM is exposed through the FlexRIO Host Interface in LabVIEW. To declassify this memory, use the EEPROM Write VIs (FlexRIO Host EEPROMWriteByteArray or FlexRIO_Host_EEPROMWrite32).

FLASH: User accessibility of the calibration FLASH is exposed through an external calibration Applications Programming Interface (API) in LabVIEW. To declassify this memory, use the EEPROM VIs in the Host Configuration Design Libraries (ni579x Write EEPROM, ni579x Read EEPROM, and ni579x Erase EEPROM Sector).

Calibration constants that are stored in device EEPROMs include information for the device's full operating range. Calibration constants do not maintain any unique data for specific configurations at which the device is used unless otherwise specified.

Items are designated **No** for the following reason(s):

a) Hardware changes or a unique software tool from National Instruments are required to modify contents of the memory listed.

b) Hardware-modifying software tools are not distributed to customers for any personal access or customization, also known as non-normal use.

The designation None Available to User indicates that the ability to clear this memory is not available to the user under normal operation. The utilities required to clear the memory are not distributed by National Instruments to customers for normal use.



Terms and Definitions

User Accessible Allows the user to directly write or modify the contents of the memory during normal instrument operation.

System Accessible Does not allow the user to access or modify the memory during normal instrument operation. However, system accessible memory may be accessed or modified by background processes. This can be something that is not deliberate by the user and can be a background driver implementation, such as storing application information in RAM to increase speed of use.

Cycle Power The process of completely removing power from the device and its components. This process includes a complete shutdown of the PC and/or chassis containing the device; a reboot is not sufficient for the completion of this process.

Volatile Memory Requires power to maintain the stored information. When power is removed from this memory, its contents are lost.

Non-Volatile Retains its contents when power is removed. This type of memory typically contains calibration or chip configuration information, such as power up states.